



# SUSTAINABLE AIRPORT MASTER PLAN Executive Summary









# **TABLE OF CONTENTS**

# **EXECUTIVE SUMMARY**

THE	MASTER PLAN AND THE SUSTAINABLE PLANNING PROCESS	2
	PORT'S ECONOMIC BENEFITS	
	ORT SETTING	
	IELD FACILITIES	
	DSIDE FACILITIES	
	Passenger Terminal Complex	
	Air Cargo	
	General Aviation	
AREA	4 LAND USE	
AVIA	ATION DEMAND FORECASTS	19
	TAINABILITY BASELINE ASSESSMENT	
PROF	POSED AIRPORT IMPROVEMENTS	23
	Airfield Improvements	24
	Landside Improvements	28
SUST	TAINABILITY MANAGEMENT PLAN	30
CAPI	ITAL IMPROVEMENT PLAN AND COST SUMMARIES	33
FIGI	URES	
Α	Integration of Sustainability into the Master Planning Process	4
EXH	HIBITS	
1	Airfield Facility Data	9
2	Landside Facilities	
3	Terminal Building Layout	13
4	Existing Generalized Land Uses	
5	Jetport Commercial Service Area	
6	Forecast Summary	
7	Recommended Development Concept	
8	Airside Requirements	
9	Sustainability Management Plan	
10	Development Staging	35



# **EXECUTIVE SUMMARY**

Portland Interna. onal Jetport (PWM) is a thriving small hub, commercial service airport serving the aviation demands of the greater Portland region and much of the State of Maine. In fact, the Jetport's Vision is to "Be the Airport of Choice for Maine!". From this vision, the Jetport has adopted the following as its Mission Statement:

"The Portland International Jetport commits to be a premier New England Airport. We will provide a convenient, safe, and environmentally conscious gateway that exceeds our travelers' expectations while reflecting the essence of the Maine experience."

This airport master plan update has been undertaken to assist in carrying out the Jetport's mission statement. The master plan update evaluates the airport's capabilities and role, reviews forecasts of future aviation demand, and plans for the timely improvement of facilities that may best meet that demand while maintaining compatibility with the surrounding environment. In general, an airport master plan provides systematic guidelines for the airport's overall development, maintenance, and operation for the next 20 years.

The master plan is intended to be a proactive document which identifies and then plans for future facility needs well in advance of the actual need for the improvements. This is done to ensure that the City of Portland and airport administration can coordinate environmental reviews, project approvals, design, financing, and construction to minimize the detrimental effects of maintaining and operating inadequate or inefficient facilities.









The City of Portland considers sustainability an integral part of the community. Accordingly, it commissioned an airport master plan update that incorporates sustainability and commits the Jetport to a long-term, comprehensive, and integrated approach that considers economic viability, operational efficiency, social responsibility, and natural resource conservation. Through this approach, the Jetport is also embracing a leadership role within the region and the airport industry to promote sustainability and improve related performance.

In recent years, the Jetport has demonstrated its commitment to sustainability through various activities. These notably include a terminal expansion that achieved Leadership in Energy and Environmental Design (LEED®) Gold certification, the installation of a geo-thermal heating and cooling system, the establishment of a deicing fluid recycling program to treat onsite and offsite spent glycol, wildlife deterrent and relocation efforts, and the creation of an exemplary customer service program.

In recognition of its historical and ongoing commitment to sustainability, the Jetport received a grant through the Federal Aviation Administration's Sustainable Master Plan Pilot Program to prepare this Sustainable Airport Master Plan (SAMP). With its first official sustainable master plan, the Jetport is taking the next step toward full sustainability integration and is recognizing the potential to improve its overall operating efficiency in an environmentally, economically, and socially responsible manner.

#### THE MASTER PLAN AND THE SUSTAINABLE PLANNING PROCESS

Making sustainability a part of the core objective of the planning process promotes design, project implementation, and financial decisions that identify ways to reduce energy consumption, environmental impacts, and the Jetport's carbon footprint. By incorporating sustainability issues into the master planning process, the airport can become a more environmentally friendly business place and neighbor. The plan will benefit all residents of the area by providing a single comprehensive plan which supports and balances aviation activities and the environmental preservation of the surrounding environs.

Sustainability, as part of an organizational strategy, has demonstrated measurable benefits at airports around the world. Some of these benefits include:

- Improved passenger experience;
- Better use of assets;
- Reduced development and/or operations and maintenance costs;
- Reduced environmental/ecological footprint;
- Facilitation of environmental approvals/permitting;
- Improved relationships within communities;
- Enhancement of regional economies;
- Creation of an engaged and enriched place to work; and
- Creation and utilization of new technologies through increased demand and investment in technologies that facilitate sustainable solutions.



As a result of incorporating sustainability issues into the master planning process, the airport can become a more environmentally friendly business place and neighbor. The plan will benefit all residents of the area by providing a single comprehensive plan which supports and balances aviation activities and the environmental preservation of the surrounding environs.

The sustainable airport master planning process integrates sustainability planning elements into the traditional airport master plan process (see **Figure A**). Combined, the sustainability and standard master planning processes provide the flexibility necessary to consider the Jetport's operational and financial constraints. They also provide a powerful planning tool to create a long-term development vision for the Jetport that considers sustainability performance measures. The combined PWM SAMP planning process began in the summer of 2014 with the purpose of the unified approach to:

- Ensure goals and initiatives developed as part of the sustainability planning process were used to drive the recommendations of the master plan; and
- Ensure standalone sustainability strategies are not at odds with the recommendations of the master planning process.

The Portland International Jetport Sustainable Airport Master Plan is of interest to many within the region. This includes local citizens, community organizations, airport users, airport tenants, area-wide planning agencies, and aviation organizations. As the Jetport is a strategic component of the regional, state, and national aviation systems, the Jetport Master Plan is of importance to both state and federal agencies responsible for overseeing air transportation.

To assist in the development of the SAMP, the City identified a group of community members and aviation interest groups (i.e., the Planning Advisory Committee [PAC]) to act in an advisory role in the development of the SAMP. To assist in the review process, draft working papers were prepared at various milestones in the planning process. The working paper process allowed for timely input and review during each step of the Airport Master Plan process to ensure that all planning issues were fully addressed as the recommended program developed. Members of the PAC were given ample opportunity to review draft working papers and provide comments throughout the process to ensure that a realistic, viable, and collaborative plan was developed.

The sustainability planning process incorporated input from three main stakeholder groups:

- 1. City and Jetport leadership
- 2. The study's PAC was composed of 24 members, including representatives from local municipalities, tenants and pilot organizations, the FAA and MDOT, and regional tourism organizations, among others (a list of the PAC members is included at the beginning of this document)
- 3. Jetport tenants, such as airlines, concessionaires, and fixed base operators (FBOs)





Figure A: Integration of sustainability into the master planning process

A series of public information workshops were also held as part of the coordination effort. The public information workshops were designed to allow any and all interested persons to become informed and provide input concerning the Sustainable Airport Master Plan process. Notices of meeting times and locations were advertised through local media as well as social media outlets. The draft working papers were also made available to the public through a project dedicated website: <a href="https://www.thejetport.airportstudy.com">www.thejetport.airportstudy.com</a>.

#### AIRPORT'S ECONOMIC BENEFITS

The Jetport is the primary aviation gateway for the State of Maine, welcoming commerce and visitors, while providing residents with access for outward travel to national and intercontinental destinations. The Jetport creates significant benefits that extend beyond the aviation community to impact economic growth and development as well as the quality of life of Maine residents. The availability of air transport is invariably listed by business executives as a key criterion for business location and expansion. Public safety and national security objectives are supported by aviation operations of police officers and government agencies. Medical transport, search and rescue, aerial mapping, air cargo, and express delivery services are all essential functions provided at Portland International Jetport every day of the year.



The Jetport creates significant benefits that extend beyond the aviation community to impact economic growth as well as the quality of life of Maine residents.

Airline travelers from across the nation or around the globe come to Maine to conduct business, meet with clients and suppliers, and place orders for goods and services produced in the state. Even greater numbers come for personal reasons, to visit friends and relatives, or to hike, fish, hunt, or simply vacation in the midst of world class scenery and recreation opportunities. General avi-

ation flyers based at PWM enjoy the benefits of on-demand flight schedules to destinations within the state or any of the nearly 3,000 general aviation airports that provide access to large and small communities across the country.

Although qualitative advantages created by an airport are important, they are also challenging to measure. In studying the economic benefits of airports and aviation, regional analysts have emphasized economic benefits that can be quantified:

- **Employment** is the number of jobs supported by economic activity created by the presence of the Portland International Jetport.
- **Payroll** includes income to workers as employee compensation (the dollar value of payments received by workers as wages and benefits) and proprietor's income to business owners.
- Output is the value of the production of private firms and public agencies. For a private firm, output is equal to the annual value of revenue or gross sales at producer prices (before addition of further margins or transportation costs), including sales or excise taxes. Output, revenue, and sales are interchangeable synonymous terms used throughout this study and, in turn, these are equal to spending or expenditures from the perspective of the buyer. For government units, the agency budget is used as the measure of output.

The total annual economic benefits of the Portland International Jetport include 8,261 jobs with payroll of \$269.6 million and output of \$1.0 billion, incorporating all multiplier or secondary benefits. The secondary and total economic benefits flowing from the initial direct benefits of on-airport commercial service and general aviation activity are set out in **Table 1**.



TABLE 1
Summary of Economic Benefits
Portland International Jetport

SOURCE	EMPLOYMENT	PAYROLL	OUTPUT					
	Direct Economic Ber	nefits						
On-Airport Direct Benefits: Private Firms, Government Agencies & Capital Improvement Projects	1,329	\$54,061,000	\$287,999,000					
Air Visitor Direct Benefits: Commercial Service and General Aviation Travelers	3,929	92,960,000	351,702,000					
Direct Benefits	5,258	147,021,000	639,701,000					
	Secondary Economic B	enefits						
Indirect Benefits: Activity by Suppliers & Vendors	1,571	65,877,000	225,311,000					
Induced Benefits: Activity by Workers as Consumers	1,432	56,667,000	178,129,000					
Secondary Benefits	3,003	122,544,000	403,440,000					
	Total Economic Benefits							
Total Benefits	8,261	\$269,565,000	\$1,043,141,000					

Note: On-airport spending for auto rental is included as on-airport benefits and not included as air visitor spending off-airport. Secondary benefits are computed from the IMPLAN input-output model with Maine coefficients. Figures are in 2015 dollars.

# JETPORT SETTING

Portland International Jetport is located in the southeastern portion of Cumberland County, approximately three miles from downtown Portland. The Jetport is uniquely situated on the corporate boundaries of Portland, South Portland, and Westbrook. In fact, portions of the 769- acre property abut or are located within both Portland, South Portland and Westbrook.

The Greater Portland area is located on the beautiful Maine coastline, but is also within close proximity of the State's rugged interior. While the City of Portland is situated on a peninsula that juts out into





Casco Bay, the mountains of Western Maine are located within a short 45-minute drive to the west. The region offers an appealing mix of activities associated with mountainous locales, including hiking and skiing, as well as coastal activities associated with the beach and watercraft. The regional setting is ideal for supporting tourism as well as local resident lifestyles.

With a combined population of approximately 91,600 residents, Portland and South Portland rank as the state's most populated locale. Cumberland County boasts a population of three times that amount, with nearly 300,000 residents. The Portland-South Portland Metropolitan Statistical Area (MSA), identified as Cumberland, Sagadahoc, and York Counties, contains a resident population of approximately 533,000 people. Larger regional population centers are situated relatively close and include Boston, MA 102 miles south and New York City, NY 277 miles southwest.

The City of Portland, as owner and operator of the Jetport, has an elected mayor and city council form of government. A standing three-person transportation committee oversees the city-wide infrastructure for the council. A full-time airport director, who reports to the City Manager, runs the facility, with the help of 51 total employed staff members.

# **AIRFIELD FACILITIES**

Airfield facilities are those which facilitate aircraft movements between the air and ground. Generally, these facilities include runways, taxiways, airport lighting and markings, and navigational aids. **Exhibit 1** summarizes and depicts airfield facility information.

Portland International Jetport is served by two runways which intersect. Runway 11-29 is the airport's primary runway, and Runway 18-36 is the crosswind runway. Both runways are capable and certified to accommodate air carrier aircraft operations; however, air carrier operations are primarily conducted on Runway 11-29. The crosswind runway is used primarily during periods of high northerly/southerly winds, or when the primary runway is closed for any reason.

# LANDSIDE FACILITIES

Landside facilities support the aircraft and pilot/passenger transition between air and ground. Typical landside facilities include the passenger terminal complex, general aviation facilities, and support facilities, such as fuel storage, automobile parking, roadway access, snow removal facilities, and aircraft rescue and firefighting. The landside facilities at Portland International Jetport are depicted on **Exhibit 2**.

#### PASSENGER TERMINAL COMPLEX

The passenger terminal is centrally located on the airfield along the north side of Runway 11-29 and west of Runway 18-36. The terminal complex has experienced several upgrades, with the most significant



completed in 2012. The latest renovation completes the phased terminal complex renovation and expansion project which began in 1995. Over that period, improvements have included:

- Expansion of the building by approximately 145,000 square feet;
- Renovation of main existing building;
- Addition of five passenger gates;
- State-of-the-art in-line checked bag screening system
- New security screening checkpoint;
- Renovated and expanded baggage claim facilities;
- Addition of elevators and escalators (from ticket counter lobby to screening);
- Revised inbound/outbound passenger circulation;
- Enclosed elevated walkway from parking garage to third level (near screening area);
- New food court;
- Increased retail spaces; and
- Increased surface parking lots

# **Terminal Building**

The terminal is a three-level linear design structure. Departing passengers enter the terminal on ground level, generally through the west end of the terminal where all airline ticket counters are located. Passenger security processing is on the third level and is accessed east of the ticket counters via stairs, escalator, or elevator. Once through screening, passengers can proceed down to the secure second level

concourse area where there are 10 aircraft gates, as well as restaurants and retail concessionaires.

Arriving passengers exit the secured area via automated security doors designed to prevent reentry. Once outside security, arriving passengers transition back to the first floor, then east to the baggage claim area. At the foot of the escalator serving arriving passengers is a restaurant that serves passengers, greeters, and airport employees outside the secure area. Rental car customers proceed to the east end of the new parking garage, lower level. **Exhibit 3** illustrates the existing terminal building layout, including the first and second levels.



The terminal complex has experi-



Exhibit 1










Executive Summary

11

LANDSIDE FACILITIES











# **Access and Parking**

The terminal can be accessed from two entrances. In the late 1990s, the access off Congress Street (Maine Route 9) was relocated from Westbrook Street to International Parkway. This entrance was developed to shift airport traffic from driving through the adjacent Stroudwater neighborhood. The Westbrook Street access is now blocked by a gate accessible only by emergency vehicles. Traffic approaching the airport from the east typically utilizes the International Parkway entrance. Traffic from the west and Interstate 95/295 will typically use the Jetport Boulevard entrance off Johnson Road. Both feed into the Jetport Access Road, which becomes a one-way loop around the parking lots, garage area, and terminal

building entrances.

This entrance was developed to shift airport traffic from driving through the adjacent Stroudwater neighborhood. The Westbrook Street access is now blocked by a gate accessible only by emergency vehicles.

The passenger terminal complex is served by several parking areas including the six-level parking garage. This structure has five public levels of parking with short term parking spaces available on the ground level. An underground level is utilized for rental car pick-up and drop-off only. There are 180 public short term spaces located on the first level of the original

garage, closest to the terminal building. The sub-level of the garage includes 238 spaces for rental car ready and return. The garage also offers a total of 1,982 long term spaces. A surface long term parking lot immediately west of the parking garage offers 343 spaces. A cell phone lot is located immediately north of the garage and offers 96 spaces. A discount parking lot offers 459 public spaces. Overall, the airport's lots provide a total parking capacity of 3,778 automobiles, including 63 handicap spaces.

#### **AIR CARGO**

The air cargo facility is located east of Runway 18-36. FedEx operates from an 8,000 square-foot air cargo building and an adjacent 6,600 square-yard aircraft ramp.

#### **GENERAL AVIATION**

A fixed base operator (FBO), Northeast Airmotive (Air), operates on the field, providing typical general aviation services. There are also two specialized aviation service operators (SASOs), Maine Aviation and Maine Aviation Sales, at the Jetport. The main offices of Northeast Air and Maine Aviation are located on the north general aviation ramp, west of Runway 18-36 and north of Runway 11-29, off Taxiway C. Public access to both businesses is off Westbrook Street. The primary offices for Maine Aviation Sales are located in a facility adjacent to the Jetport's FSDO ramp, which is situated at the end of Taxiway G, east of Runway 18-36. Public access to this business is off Yellowbird Road. Maine Aviation will be relocating to the general aviation area on the south side of the airport in the future



# AREA LAND USE

Portland International Jetport is located in a mature area with most of the surrounding communities fully developed. Not unlike other urban airports in the United States, area land use surrounding PWM can have a significant impact on airport operations and growth. **Exhibit 4** illustrates the generalized land uses in the vicinity of the airport. By understanding the land use issues surrounding the airport, a better balance can be achieved through appropriate recommendations for the future of the airport.

Land surrounding the Jetport falls primarily under two jurisdictions: Portland and South Portland. West-brook is located to the northwest of PWM. A large majority of property adjacent to the north and north-east of the airport is in residential use. This includes the neighboring Stroudwater Historic District. Smaller pockets of residential areas are also located to the east and south/southeast. Commercial land uses are heaviest to the west and southwest, with smaller pockets to the east and southeast. Industrial uses dot the airport vicinity with a large area immediately west/northwest of the airport. Coastal and other environmentally sensitive areas are indicated as "Resource Protection" on the exhibit.


An airport's compatibility with surrounding land uses is usually associated with the extent of the airport's noise impacts. Airport projects, such as those needed to accommodate fleet mix changes, an increase in operations at the airport, or air traffic changes, are examples of activities which can alter noise impacts and affect surrounding land uses. The FAA established noise thresholds for the evaluation of potential impacts associated with proposed development projects at airports. Additionally, the FAA provides funding through the 14 CFR Part 150 Airport Noise Compatibility Planning program. The Jetport has participated in this program, most recently updating its Noise Compatibility Program in 2006. Through continued noise abatement efforts, the Jetport has established a noise hotline and a system for receiving complaints. Additionally, the airport has established a Noise Advisory Committee by order of the Portland City Council. The Noise Advisory Committee reviews feedback on noise abatement projects and provides an overview for implementation of the Jetport's noise abatement programs. The Jetport also encourages airport operators to use voluntary flight procedures to reduce noise impacts within the vicinity of the airport.

The SAMP 2035 long term operational projections do not reach the 2017 operational levels used to generate the noise contours depicted on Exhibit 4.

The most recent noise exposure contours generated for the Jetport were prepared the 2009 Environmental Assessment (EA) for Airfield and Terminal Improvements. Exhibit 4 presents the noise contours from the EA for the plan year 2017. The contours were based upon forecasted operations at the time. The 2009 EA's forecast of total aircraft operations was

82,421 for 2017, 48,906 of which were projected to be by air carrier aircraft. It is important to point out that the total actual aircraft operational count for 2015 was 48,898 for PWM, with only 27,920 air carrier operations. Moreover, the SAMP 2035 long term operational projections do not reach the 2017 operational levels used to generate the noise contours depicted on **Exhibit 4**. Thus, the contours depicted are likely a very conservative estimation with actual noise levels lower than shown. It is anticipated that an









environmental assessment required prior to construction of certain improvements will include an update to the noise contours.

#### **AVIATION DEMAND FORECASTS**

The definition of demand that may reasonably be expected to occur during the useful life of an airport's key components (e.g., runways, taxiways, terminal buildings, etc.) is an important factor in facility planning. In airport master planning, this involves projecting potential aviation activity for at least a 20-year timeframe. Aviation demand forecasting for Portland International Jetport must consider commercial passenger service, air cargo, based aircraft, and aircraft operational activity forecasts.

Because of the cyclical nature of the economy, it is virtually impossible to predict with certainty year-to-year fluctuations in activity when looking five, ten, and twenty years into the future. Cost-effective, efficient, and orderly development of an airport should rely more upon actual demand at an airport than on a time-based forecast figure. In order to develop a master plan that is demand-based rather than time-based, a series of planning horizon milestones have been established that take into consideration the reasonable range of aviation demand projections. The planning horizons will be segmented as the Short Term (approximately years 1-6), the Intermediate Term (approximately years 7-11), and the Long Term (years 12-20 and possibly beyond).

It is important to consider that actual activity at the airport may be higher or lower than what the annualized forecast portrays. By planning according to activity milestones, the resultant plan can accommodate unexpected shifts or changes in the area's aviation demand. It is important for the plan to accommodate these changes so that airport officials can respond to unexpected changes in a timely fashion.

The service area of an airport is defined by its proximity to other airports providing similar service. The Jetport is currently one of six commercial service airports located in Maine, but the only one classified by the FAA at a primary hub service level. In addition to these airports, there are several more that serve only general aviation.


The primary commercial service area, as shown on **Exhibit 5**, is the area where air travelers would most likely choose the Jetport for air service, given available service from other airports. The secondary service area is an expanded area where the Jetport is likely to draw additional passengers, given that the

The primary service area consists of Cumberland, York, Androscoggin, and Sagadahoc Counties.

Jetport has a higher level of service than other airports that may serve that area. The primary service area consists of Cumberland, York, Androscoggin, and Sagadahoc Counties. The secondary area includes the remainder of Maine, plus Coos and Carroll Counties in New Hampshire.

This does not mean that the Jetport would capture all air travelers from either service area. The fact is that other airports will draw some users from the same service area, especially those airports such as







Boston and Manchester that provide more flights and destinations. This is commonly referred to as leakage.

**Exhibit 6** presents a summary of the aviation forecasts selected in this study. The 2013 FAA *Terminal Area Forecasts* form the basis for many of the demand elements presented. The only variations are those of the air carrier, air cargo, and other air taxi operations which constitute the air carrier and commuter plus air taxi forecasts in the TAF. The variation has to do with the Master Plan evaluation of the aircraft mix, boarding load factors, and those that can be expected in the future. This results in a lower operational forecast than the TAF.

Airline passenger activity is anticipated to grow at an annual average rate of 1.5 percent. Small turboprops and 50-seat or less regional jets are no longer being produced, so they can be expected to transition out of the commercial service fleet over the coming years. Thus, a larger average seat capacity will result in slower growth in operations.

Air cargo activity can be expected to grow slowly in volume, possibly not even attaining previous highs when multiple cargo carriers operated at the airport. Other air taxi operations can be expected to continue to grow with increased use of fractional and for-hire aircraft. Military activity is expected to continue to be a small part of the mix at Portland International Jetport.

Based aircraft at PWM are expected to see some growth over the planning period. Business and corporate aircraft will spur most general aviation growth. The growth in smaller piston aircraft will be more limited.

#### SUSTAINABILITY BASELINE ASSESSMENT

The purpose of the Baseline Assessment was to provide a look into the Jetport's current sustainability performance as determined by its related activities, policies, and procedures. This evaluation was an important first step in the development of the Jetport's long-term sustainability strategy to enable the Jetport to focus its future sustainability work on areas that are of importance and interest to the Jetport and the City, thereby ensuring the efficient use of limited resources. It will also enable the Jetport to measure, through existing and new metrics, its overall sustainability performance over time as well as the impact of individual initiatives.

To determine the focus areas for this sustainability plan, the Project Team first worked with the Jetport and its stakeholders to develop six priority categories for the PWM SAMP. These priority categories were those considered areas of primary importance that possess the greatest potential for improvement to the Jetport and its stakeholders. The Baseline Assessment then evaluated the Jetport's performance related to these categories, which include:

- Greenhouse Gas Emissions;
- Energy;
- Waste Management and Recycling;



	Base Year	2020	2025	2035
COMMERCIAL AIRLINE BOARDINGS				
PASSENGER ENPLANEMENTS	843,944	971,324	1,010,139	1,187,969
AIR CARGO SHIPMENTS				
Enplaned (Tons)	4,865	5,700	6,000	6,700
Deplaned (Tons)	7,396	7,800	8,200	9,200
TOTAL AIR CARGO SHIPPED	12,261	13,500	14,200	15,900
ANNUAL AIRCRAFT OPERATIONS				
ITINERANT OPERATIONS				
Air Carrier	26,068	28,800	29,800	32,000
Air Cargo	3,162	3,300	3,400	3,700
Other Air Taxi	5,299	5,900	6,900	9,000
General Aviation	15,173	17,400	18,400	20,500
Military	464	500	500	500
TOTAL ITINERANT OPERATIONS	50,166	55,900	59,000	65,700
LOCAL OPERATIONS				
General Aviation	1,890	3,400	3,400	3,500
Military	34	100	100	100
Total Local Operations	1,924	3,500	3,500	3,600
TOTAL OPERATIONS	52,090	59,400	62,500	69,300
BASED AIRCRAFT	50	56	62	76


# PASSENGER ENPLANEMENTS FORECAST




# **AIR CARGO SHIPMENT FORECAST (TONS)**











- Ground Access and Transportation;
- Social Responsibility; and
- Governance.

While noise and water quality remain areas of importance, the Jetport already performs well with respect to water quality (deicing recycling, use of water quality filters and a large water quality pond) and noise (standing Noise Advisory Committee and separate evaluation process available through 14 CFR Part 150 – Airport Noise Compatibility). Therefore, they were not included to allow a greater focus on the other six categories. This does not mean that improvements will not be made to water quality and noise going forward. In fact, the recommendations within this master plan consider both.

A baseline assessment was conducted for each priority category to benchmark its sustainability performance, as determined by past and current activities, policies, and procedures. Through this process, along with feedback obtained from stakeholder groups, the Jetport established sustainability goals and objectives to reflect the unique operating conditions of the Jetport and align with the environmental priorities of the City of Portland, State of Maine, and larger airport industry. The following highlights the Jetport's goals for each priority sustainability category:

**Greenhouse Gas Emissions** – Become a national airport leader in climate change mitigation by supporting the reduction of greenhouse gas emissions generated from Jetport-controlled and influenced sources.

**Energy** - Become a national airport leader in energy conservation while considering opportunities for onsite renewable energy.

**Waste Management and Recycling** – Augment the Jetport's existing waste management practices to reduce waste generation and land disposal, and continuously improve its exemplary deicing fluid recovery and recycling program.

**Ground Transportation and Access** – Enhance the efficiency of regional and local access to and from the Jetport with an emphasis on high-occupancy modes of transportation and parking infrastructure that meets the needs of Jetport users.

**Social Responsibility** – Promote the well-being of the Jetport's employees and customers, while reflecting and supporting the social, economic, and cultural assets of the local community and greater region.

**Governance** – Integrate sustainability throughout the Jetport's organizational framework.

#### PROPOSED AIRPORT IMPROVEMENTS

The short term recommendations of the 2008 Master Plan led to the improvements that have occurred at the Jetport over the last several years. The major airfield improvements were the Runway 18-36



improvements and the construction of the east extended runway safety area on Runway 11-29. The terminal building and apron were expanded along with the parking garage. In addition, the south general aviation apron and access road were developed, setting the stage for a second fixed base operator (Maine Aviation).

The updated concept ensures that the Jetport can maintain its vision to "Be the Airport of Choice for Maine" and is driven by its mission statement: "The Portland International Jetport commits to be a premier New England airport. We will provide a convenient, safe, and environmentally conscious gateway that exceeds our travelers' expectations while reflecting the essence of the Maine experience." The recommended master plan concept, as shown on **Exhibit 7**, presents a long term configuration for the airport which preserves and enhances the role of the airport while meeting FAA design standards.

#### **AIRFIELD IMPROVEMENTS**

Improvements undertaken from the previous two master plans have essentially taken care of the physical requirements of the two runways, including their safety areas. **Exhibit 8** outlines the basic needs of the airfield through the planning period


**Runway Length** - Based on existing and projected uses, both runways are adequately sized to meet existing and long term demand. Moreover, both provide adequate safety areas to meet FAA design criteria. The long term plan maintains both runway pavements at their current lengths and widths.

Runway Pavement Strength - The existing pavement strength rating for Runway 11-29 is adequate to accommodate existing demand; however, it may need to be increased to meet future commercial airline operations. Three aircraft models that could serve the Jetport passenger market have a higher loading than the current pavement design. The Airbus 321, Boeing 737-800 and -900 models have maximum take-off weights up to 205,000 pounds on dual wheel gear (D).



FedEx could also potentially shift to a Boeing 767-200 or the Airbus 300, and 310 models which have dual tandem wheel gear (DT) rating up to 375,000 pounds. Therefore, future planning includes increasing the Runway 11-29 pavement strength up to 205,000 pounds D and/or 375,000 pounds DT.










				Portland International Jetport	
CATEGORY	EXIS	TING	RECOMMENDED IMPROVEMENTS OVER PLANNING PERIOD		
RUNWAYS	Runway 11-29	<u>Runway 18-36</u>	Runway 11-29	<u>Runway 18-36</u>	
RDC	RDC C/D-IV-1200	RDC B-III-5000	Same	Same	
Length x Width (in feet)	7,200 x 150	6,100 x 150	Same	Same	
Pavement Strength (in pounds)					
Single Wheel Loading (S)	75,000	75,000	Same	Same	
Dual Wheel Loading (D)	169,000	165,000	Increase up to 205,000	Same	
Dual Tandem Wheel Loading (DT)	300,000	300,000	Increase up to 375,000	Same	
Runway Protection Zones					
Owned/Airspace Control	Mostly	Mostly	Acquire it		
Incompatible Uses	<b>Existing Public Roads</b>		Non - if	possible	
		Public Road			
TAXIWAYS SERVING	Runway 11-29	Runway 18-36	Runway 11-29	Runway 18-36	
TDG	5	3	Same	Same	
Parallel Taxiway	Full Length	Full Length	Same	Same	
Number of Entrance/Exits	Six	Four	Same	Same	
Taxiway Widths (in feet)	75	50, 60, and 75	Same	Same	
AIRFIELD GEOMETRY	Runway 11-29	Runway 18-36	Runway 11-29	Runway 18-36	
Hot Spots Identified	Yes (Taxiway A & C	Yes (Taxiway A & C	· ·		
Hot spots identified	Intersection)	Intersection)	Continue Runway Guard Lighting (RGL and Enhanced Centerline Marking		
High Energy Runway Crossings	No	Yes (Taxiway A, G)	Consider Alternatives to Mitigate		
Direct Access Runway/Apron	Yes (Taxiway D)	Yes (Taxiway A, G)	Consider Alternatives to Mitigate  Consider Alternatives to Mitigate		
, .	ics (laxiway D)	ics (Taxiway G)	Consider Alternatives to Mittigate		
NAVIGATION AND WEATHER AIDS					
		ed Wincones, Runway Equipment, Beacon	Same		
INSTRUMENT APPROACH PROCEDURES	Runway 11-29	Runway 18-36	Runway 11-29	Runway 18-36	
ILS	CAT I, II, III (11); CAT I, II (29)	No	Same	Same	
GPS LNAV	Yes	Yes	Same	Yes	
GPS VNAV	Yes	No			
GPS LPV	Yes	LP only (No Vertical Component)	Same	Same	
Other	None	None	Next Gen Approaches	Next Gen Approaches	
LIGHTING AND MARKING	Runway 11-29	<u>Runway 18-36</u>	Runway 11-29	Runway 18-36	
Runway Lighting	HIRL	MIRL	Same	Same	
Centerline Lighting	Yes	No	Same	Same	
Touchdown Zone Lights	Yes (11 Only)	No	Same	Same	
Runway Marking	Precision	Non-precision	Same	Same	
Taxiway Lighting	MITL	MITL	Same	Same	
Approach Lighting System	ALSF-2 (11); MALSR (29)	REIL	Same	Same	
Visual Approach Aids	PAPI-4R	PAPI-4L	Same	Same	





**Taxiway Improvements** – Several airfield taxiway projects have been identified to satisfy FAA airfield geometrical standards. Proposed taxiway improvements shown on **Exhibit 7** include:

- Reconfigure the eastern portion of Taxiway A;
- Realignment of parallel Taxiway C to be fully parallel to Runway 18-36;
- Construction of a partial parallel taxiway on the east side of Runway 18-36 linking the cargo apron with parallel Taxiway A;
- Construction of a new connector taxiway linking Taxiway B to Runway 29 and a new aircraft runup apron; and
- Closure of the Runway 11 hold apron to be replaced by a by-pass taxiway and enlarged long term holding/deicing apron




# LANDSIDE IMPROVEMENTS

The primary goal of landside facility planning is to provide adequate space to meet reasonably anticipated passenger, cargo, and general aviation needs, while also optimizing operational efficiency and land use. Achieving these goals yields a development scheme which segregates functional uses while maximizing the airport's revenue potential. **Exhibit 7** presents a large scale view of the planned landside development for the airport.

**Commercial Passenger Terminal Building** – In accordance with previous terminal planning, the recommended plan shows an additional three gates to the northwest. The plan also provides for an easterly extension of the second level concourse to ultimately replace the Gate 1 boarding bridge structure. This would be practical if Taxiway C is reconfigured as proposed, thereby allowing for larger aircraft parking at Gate 1.



Three other terminal building modifications are also proposed: 1) Add baggage claim to the west into the current restaurant location to meet existing and long term needs; 2) Realign the existing aircraft gates to provide for the increased wingspans of the airline fleet, primarily due to increasing use of winglets to improve aircraft fuel efficiency. This change will only involve moving the loading bridges and applying new markings for aircraft parking positions. No internal building changes would be required; 3) Provide for the secure U.S. Border Protection and Customs space that would be needed for scheduled non-stop international flights at PWM. The plan would allow for international air service out of gate areas 4 and/or 5 and secured arrival passage to facilities on the main floor beneath the gate areas.



**Automobile Parking Garage** – The existing parking garage includes both public parking as well as rental car ready/return. The long term plan proposes the expansion of the garage to better serve rental car needs as well as provide additional public parking spaces. Consideration is also given to improving pedestrian access between the rental car ready/return and the terminal building.

**Commercial Aircraft Apron** - The commercial terminal apron is planned to be reconfigured to provide more parking width at all gates. The plan also includes an increased apron area adjacent to Gate 1 that would be feasible only if Taxiway C is reconfigured as proposed. The larger apron would be sufficient for Gate 1 to serve the full range of passenger aircraft operating or projected to operate at the Jetport. Ultimately, the plan considers the northwesterly expansion of the commercial ramp to serve future need for more gates. Again, the northwesterly growth would only occur as a response to increased demand generating a need for the gates and space.

**Deicing Apron** - The commercial terminal apron currently supports two deicing positions. These positions are generally adequate but do not meet demand during peak morning departures. The ultimate plan is for the apron to be equipped for "at-gate" de-icing and fluid recapture. This will be installed over time when pavement reconstruction is necessary. In the near term, additional deicing positions are planned to the west of the existing deicing area. As proposed, the apron would allow for two additional deicing positions, as well as serve long term holding and aircraft that remain overnight (RON).

**Runway 11 Holding Apron** - The existing configuration of the Runway 11 holding apron no longer conforms to FAA design standards and does not leave sufficient clearance for a perimeter roadway outside the aircraft movement area. This will become more critical when the fixed base operator opens on the south side of the airport. A by-pass taxiway would be installed to replace the holding apron.



**Commercial Air Cargo** - The recommended plan for future air cargo development is similar to the previous plan. As proposed, the plan provides for cargo apron fronting two future buildings. If the plan is followed, the existing air cargo building currently utilized by FedEx could be repurposed for airport maintenance.



General Aviation - The bulk of the Jetport's general aviation facilities are currently located on the north general aviation ramp, with some facilities on the cargo, or FSDO ramp. Recently, the airport approved a leasehold development for general aviation facility development south of Runway 11-29, as shown on Exhibit 7. Some additional general aviation needs can also be accommodated on the north ramp. These areas should be more than adequate to accommodate projected general aviation aircraft and associated facility needs.

#### SUSTAINABILITY MANAGEMENT PLAN

Through the stakeholder engagement process, the Jetport developed a list of potential sustainability actions that would improve its sustainability performance relative to its goals and objectives. Input was solicited from stakeholders to develop this list, which was then

evaluated using the custom-built *Sustainability Action Evaluation Tool* to assess the estimated benefits of the actions (e.g., GHG emissions reductions, increases in energy conservation) relative to their estimated costs (i.e., initial capital costs, operations and maintenance, staffing hours, and return on investment). **Exhibit 9** identifies a select list of potential sustainability actions by category.

This Sustainable Airport Master Plan includes sustainability targets that will assist the Jetport in understanding the level of success it is achieving through the implementation of its sustainability program. In developing its sustainability targets, the Jetport considered its current performance and the potential effects of its identified sustainability actions, among other factors.

The Jetport is committed to report on its sustainability program on an annual basis. Through annual reporting, the Jetport will enhance transparency, promote accountability, build stakeholder trust, and convey its leadership in sustainability within its region and the larger airport industry.



GOALS	OBJECTIVES	ACTIONS	TARGETS
GREENHOUSE GAS EMISSIONS     Become a national airport leader in climate change mitigation by supporting the reduction of greenhouse gas emissions generated from Jetport-controlled and influenced sources	<ol> <li>Reduce greenhouse gas emissions associated with Jetport-operated mobile and stationary sources on a per enplanement basis</li> <li>Encourage greenhouse gas emission reduction strategies among the Jetport's employees, tenants, and customers</li> </ol>	<ul> <li>Provide pre-conditioned air (PCA) at all commercial service aircraft gates</li> <li>Encourage tenants to procure alternative fuel and/or fuel-efficient ground support equipment</li> <li>Install public charging stations in the garage to accommodate electric vehicles</li> <li>Prepare an annual Jetport-wide greenhouse gas emissions inventory, and voluntarily report the Jetport's carbon performance</li> </ul>	<ul> <li>Install pre-conditioned air at 100 percent of all loading bridges by 2018</li> <li>Reduce Jetport-owned and controlled GHG emissions</li> <li>Work with the tenants to develop a baseline of the Jetport's scope 3 GHG emissions by 2018</li> </ul>
Become a national airport leader in energy conservation, while considering opportunities for on-site renewable energy generation	Reduce the energy intensity of Jetport-owned facilities     Pursue on-site generation of renewable energy, where feasible	<ul> <li>Upgrade the building envelope of the Old Terminal</li> <li>Continue to upgrade lighting within the parking garage to LEDs</li> <li>Install a pilot-controlled airfield lighting system</li> <li>Retro-commission the building systems at the Old Terminal</li> </ul>	<ul> <li>Begin to measure percent of energy generated from renewable sources by 2018</li> <li>Reduce the Jetport's energy use intensity below 2013 levels five percent by 2025 and 15 percent by 2035</li> </ul>
• Augment the Jetport's existing waste management practices to reduce waste generation and land disposal, and continuously improve its exemplary deicing recovery and recycling program	<ol> <li>Reduce the amount of Jetport-generated municipal solid waste on a per enplanement basis</li> <li>Increase the percentage of Jetport-generated municipal solid waste diverted from regional landfills</li> <li>Continue to recycle and reuse construction and demolition waste to the greatest extent practicable</li> <li>Prioritize the purchase and use of environmentally preferable products and materials in both Jetport and tenant operations</li> <li>Provide the resources necessary to support continuous improvement of tenant waste management practices</li> </ol>	<ul> <li>Design and implement a recycling awareness campaign for employees and passengers</li> <li>Make permanent the existing composting pilot program, and expand it beyond the Jetport's back-ofhouse food preparation to include the passenger/public organic waste stream</li> <li>Increase the number of recycling bins and strategically co-locate them with standard trash receptacles throughout the Jetport's facilities and exterior spaces to maximize use</li> </ul>	<ul> <li>Begin to measure the Jetport's composting rate by 2017</li> <li>Increase the Jetport's municipal solid waste recycling rate to 30 percent by 2020</li> <li>Continuously divert at least 90 percent of construction and demolition waste from landfills</li> <li>Recapture and recycle at least 70 percent of deicing fluid</li> <li>Reduce deicing fluid recycling operations cost</li> </ul>
GROUND ACCESS AND TRANSPORTATION     Enhance the efficiency of regional and local access to and from the Jetport with an emphasis on highoccupancy modes of transportation and parking infrastructure that meets the needs of the Jetport's users	<ol> <li>Provide choice to the Jetport's passengers by encouraging high-occupancy modes of transportation and the provision of adequate parking</li> <li>Encourage the use of high-occupancy modes of transport among employees commuting to and from the Jetport</li> <li>Leverage regional partners to enhance and promote bicycle, pedestrian, and high-occupancy modes of transportation available to Jetport employees, customers, and visitors</li> </ol>	<ul> <li>Promote ridesharing for employee commutes</li> <li>Administer an employee transportation survey</li> <li>Continue to work with regional entities to enhance/expand public transportation service to the Jetport, and establish connections to local points of interest</li> </ul>	<ul> <li>Appoint a transportation coordinator by 2017</li> <li>Identify the mode distribution of Jetport employees by 2018</li> <li>Identify the mode distribution of Jetport passengers by 2020</li> </ul>
Promote the well-being of the Jetport's employees and customers, while reflecting and supporting the social, economic, and cultural assets of the local community and greater region	<ol> <li>Expand or enhance existing programs that support employee health and satisfaction</li> <li>Continuously improve the Jetport's customer service experience</li> <li>Foster a "sense of place" by incorporating regional representative elements into the Jetport's public-facing facilities</li> <li>Increase opportunities for employee, customer, and community engagement</li> <li>Continue the Jetport's support of the regional economy, and promote its economic impact</li> </ol>	<ul> <li>Increase local collaborations by participating in local and regional partnerships and working groups</li> <li>Create indoor landscaped areas that celebrate and display flora of Maine</li> <li>Conduct regular employee satisfaction surveys</li> </ul>	<ul> <li>Increase the number of Jetport employees participating in Jetport-sponsored health and wellness programs to 80 percent by 2020</li> <li>Hold three employee appreciation events per year beginning in 2016</li> <li>Continuously improve Airport Service Quality rankings, as applicable and where possible</li> </ul>
• Integrate sustainability throughout the Jetport's organizational framework	<ol> <li>Integrate sustainability criteria into the Jetport's decision-making processes</li> <li>Promote sustainability considerations in the daily activities of Jetport employees</li> <li>Drive accountability throughout all levels of the organization</li> <li>Enhance internal and external transparency of operations</li> </ol>	<ul> <li>Include a requirement on all capital improvement applications to identify a proposed project's sustainability elements and any known alternatives that serve the same purpose with greater efficiency and/or environmental/social performance</li> <li>Incorporate sustainability guidelines into future tenant and vendor contracts, and provide training on these guidelines, as needed</li> <li>Publish an annual "scorecard" to report on the Jetport's ongoing sustainability performance</li> </ul>	<ul> <li>Present two sustainability-based employee recognition awards per year beginning in 2016</li> <li>Establish an internal Sustainability Working Group by 2017</li> <li>Ensure that 100 percent of capital projects are evaluated using sustainability criteria by 2017</li> <li>Engage three local organizations per year on the Jetport's sustainability program beginning 2017</li> <li>Participate in or establish a regional task force focused on sustainability by 2018</li> </ul>

Exhibit 9





# CAPITAL IMPROVEMENT PLAN AND COST SUMMARIES

From the specific needs and improvements that have been established for the Jetport, a realistic schedule and the associated costs for implementing the plan can be determined. The implementation plan considers the interrelationships among the projects in the recommended alternative in order to determine a logistics sequence to minimize conflicts and establish a master schedule.

This section will examine the overall cost of each item in the recommended development alternative and present a development schedule. The implementation plan covers the same years as the forecasts in the planning effort. A CIP, programmed by years, has been developed to cover the first six years of the plan. The remaining projects will be grouped into intermediate (years 7-11) and long (years 12-20) term planning horizons. More detailed information is provided for the five-year horizon, with less detail for the longer planning periods. By utilizing planning horizons instead of specific years for intermediate and long term development, the Jetport will have greater flexibility to adjust capital needs as demand dictates.

A key aspect of this planning document is the use of demand-based planning milestones. The short term planning horizon contains items of highest need and/or priority. These items should be considered for development based on actual demand levels within the next five years. As short term horizon activity levels are reached, it will then be time to program for the intermediate term based upon the next activity milestones. Similarly, when the intermediate term milestones are reached, it will be time to program for the long term activity milestones.

Several development items included in the recommended alternative will need to follow demand indicators which essentially establish triggers for key improvements. For example, the recommended concept includes construction of new hangar aprons and taxilanes. Based aircraft will be an indicator for additional hangar needs. If based aircraft growth occurs as projected, additional hangars and associated aprons will likely need to be constructed to meet the demand. If growth slows or does not occur as projected, hangar pavement projects could be delayed. As a result, capital expenditures will be undertaken as needed, which leads to a responsible use of capital assets. Some development items do not depend on demand, such as pavement maintenance. These types of projects typically are associated with day-to-day operations and should be monitored and identified by Jetport management.

All airports receiving federal Airport Improvement Program (AIP) funding are required to maintain a current CIP with the FAA, which identifies projects to be undertaken at an airport over a specified period of time. The Jetport's CIP includes the projects recommended as part of this Sustainable Airport Master Plan (SAMP) from FY 2017 through FY 2036. **Table 2** presents the recommended CIP and its corresponding cost estimates, which are based on a planning level of detail. While accurate for master planning purposes, actual project costs will likely vary from these planning estimates once project design and engineering estimates are developed. The cost estimates presented in the table are in 2016 dollars, inflated at 2.7 percent annually and also include contingencies, design costs, and construction management costs. As shown in the table, the CIP is estimated at approximately \$193.3 million in 2016 dollars



and approximately \$271.8 million in inflated dollars. This amount, combined with other capital equipment and maintenance projects, brings total capital investment to \$224.1 million in 2016 dollar and approximately \$312.3 million in inflated dollars.

**Exhibit 10** graphically presents the staging of master plan projects on an aerial photograph of the Jetport. The projects are color-coded by short term, intermediate, and long term planning horizons. A detailed financial evaluation was also completed. The analysis factored all proposed capital and operation/maintenance costs against proposed incomes. The result indicated that the Jetport is fully capable of generating sufficient revenues to offset future expenditures without the need for financial assistance from City of Portland taxing resources. The airport is currently and projected to remain financially self-sufficient.

TABLE 2
CIP Project Costs and Funding Sources
Portland International Jetport
(in \$000's)

	Expansion Northwest End - Phase 1 ssessment and Permitting for Airport	\$3,290	Inflated \$3,379	AIP Grants	State	Lo PFCs	cal Jetport
FISCAL YEAR 2017  1 Terminal Apron E Environmental A Improvements  Subtotal		\$3,290		Grants	State	PFCs	Jetport
1 Terminal Apron E Environmental A Improvements  Subtotal			\$3,379				
2 Environmental A Improvements  Subtotal			\$3,379				
Improvements   Subtotal	ssessment and Permitting for Airport	750		\$3,041	\$169	\$0	\$169
		750	770	693	39	0	39
		\$4,040	\$4,149	\$3,734	\$207	\$0	\$207
FISCAL YEAR 2018							
Gate 1 Apron Red Shoulders North	construction and Construct TW C Snow	\$4,089	\$4,320	\$3,888	\$216	\$0	\$216
4 Runway Incursion	n Warning System	125	132	119	7	0	7
5 3rd Floor Bypass	Auto Exit Portals	450	475	0	0	475	0
6 Gate 1 - 6 Rehabi	ilitation & Vertical Circulation Improve-	2,000	2,110	0	0	0	2,110
7 Pre Conditioned	Air/Lifts for Loading Bridges	900	949	854	0	0	95
	l Loading Bridges	650	686	0	0	686	0
9 Central Air Hand	ling Units	220	232	0	0	232	0
Subtotal 2018		\$8,434	\$8,903	\$4,861	\$223	\$1,392	\$2,427
FISCAL YEAR 2019							
10 Terminal Apron E	Expansion Northwest End - Phase 2	\$2,085	\$2,225	\$2,003	\$111	\$0	\$111
11 Environmental A	ssessment Mitigation Measures	1,000	1,083	975	54	0	54
12 ARFF Vehicle		1,000	1,083	975	54	0	54
13 Snow Removal Ti	ractor for Airfield Lights/Signs	350	379	341	19	0	19
14 Maintenance Bui	lding Generator and Enclosure	250	271	244	14	0	14
15 Click to Activate	Runway Lights	50	54	49	3	0	3
	ove Bag Claim - East End	1,500	1,625	0	0	244	1,381
17 Additional Loadir	ng Bridges for Gate 11	650	704	0	0	704	0
Subtotal 2019		\$6,885	\$7,424	\$4,586	\$255	\$948	\$1,636
FISCAL YEAR 2020							
	Deicing/RON Apron - Phase 1	\$3,918	\$4,220	\$3,798	\$211	\$0	\$211
19 FIS Facility		7,000	7,787	0	0	7,398	389
Subtotal 2020		\$10,918	\$12,007	\$3,798	\$211	\$7,398	\$600



**LEGEND** 

Airport Property Line


City Limit Line

Airport Fence Line

#### SHORT TERM DEVELOPMENT

- 1 Terminal Apron Expansion Northwest End Phase 1
- 2 Environmental Assessment and Permitting for Airport Improvements NS
- 3 Gate 1 Apron Reconstruction and Construct TW C Snow Shoulders North
- 4 Runway Incursion Warning System
- **5** 3rd Floor Bypass Auto Exit Portals
- 6 Gate 1 6 Rehabilitation Vertical Circulation Improvement
- 7 Pre Conditioned Air/Lifts for Loading Bridges
- 8 Gates 1 Additional Loading Bridges
- 9 Central Air Handling Units
- 10 Terminal Apron Expansion Northwest End Phase 2
- 11 Environmental Assessment Mitigation Measures NS
- 12 ARFF Vehicle
- 13 Snow Removal Tractor for Airfield Lights/Signs
- 14 Maintenance Building Generator and Enclosure

- - 16 Admin Offices above Bag Claim East End
  - 17 Additional Loading Bridges for Gate 11
  - 18 Long Term Hold/Deicing/RON Apron Phase 1
  - 19 FIS Facility
  - 20 Snow Melt Equipment for Contaminated Snow SRE/Maintenance
  - 21 Long Term Hold/Deicing/RON Apron Phase 2
  - **22** Runway 11 Taxiway Bypass and Perimeter Service Road Realignment
  - 23 Tree Removal for GQS on Runway 36 End
  - **24** Expand Baggage Claim Phase 2
  - 25 Loading Bridge
- 26 Construct Air Cargo Taxiway Phase 1
- 27 Rehabilitate Cargo Apron
- **28** Displacement Plows
- **29** Airport Security Fence and Gate Upgrades (North East Area)



- 1 Construct Taxiway C Realignment Phase 1
- Loading Bridge
- 6 Land Acquisition
- Construct Air Cargo Taxiway Phase 2
- 6 Loading Bridges
- 6 Replace Regional Boarding Ramps at Gate 1B and C
- Relocate Taxiway A East of Runway 18-36
- (3) Construct Taxiway C Realignment Phase 2
- Relocate Service Access Road East of Cargo
- 10 Parking Garage Expansion Phase 3

- 1 Construct Air Cargo Apron Phase I (North)
- Construct Air Cargo Apron Phase II (South)
- 3 ARFF Vehicle
- 4 Construct Taxiway B Runway 36 to 29
- 5 Extend Cargo Apron East Interport Location
- Rotary Snowplow 5000 TPH
- Expand Maintenance Building
- 8 Construct Aircraft Engine run-Up Pad
- SRE 18' FRT MTD Broom
- 10 Strengthen/Rehab Runway 11-29
- 11) Displacement Plows/Spreaders
- 12 Strengthen/Rehab Taxiways A, D, E, & F

- 14) ARFF Vehicle
- 15 Construct South Apron Taxiway

13 2000 Gallon Liquid Spreader

- 16 Construct South General Aviation Apron Phase 1
- (17) Construct South General Aviation Apron Phase 2
- 18 Terminal Westerly Expansion
- 19 Rehabilitate Runway 18-36, Taxiway B and J
- 20 Construct South General Aviation Apron Phase 3
- 21 Ramp Expansion East of Air Traffic Control Tower
- 22 Snow Plows
- 23 Parking Garage Expansion Phase 4
- 24 Terminal Easterly Expansion/Renovation 🥏

Runway Protection Zone (RPZ) Short Term Development Intermediate Term Development Long Term Development Third Party Tenant Development Sustainable Projects SCALE IN FEET **DEVELOPMENT STAGING** 

35 **Executive Summary** 





FISCAL YEA							
20	AR 2021						
	Snow Melt Equipment for Contaminated Snow	\$300	\$343	\$308	\$17	\$0	\$17
21	Long Term Hold/Deicing/RON Apron - Phase 2	2,400	2,600	2,340	130	0	130
22	Runway 11 Taxiway Bypass and Perimeter Service Road	1,028	1,100	990	55	0	55
	Realignment						33
23	Tree Removal for GQS on Runway 36 End	50	57	51	3	0	3
24	Expand Baggage Claim - Phase 2	10,000	11,425	0	0	10,854	571
25	Loading Bridge	515	588	0	0	588	0
Subtotal		\$14,293	\$16,113	\$3,690	\$205	\$11,442	\$776
2021 FISCAL YEA	AP 2022				_	_	_
26	Construct Air Cargo Taxiway - Phase 1 TW G to TW A	\$3,660	\$4,200	\$3,780	\$210	\$0	\$210
27	Rehabilitate Cargo Apron	2,440	2,863	2,577	143	0	143
28	Displacement Plows	750	880	792	44	0	44
	Airport Security Fence and Gate Upgrades (North East						
29	Area)	245	288	259	14	0	14
Subtotal	- Titos)						
2022		\$7,095	\$8,230	\$7,407	\$412	\$0	\$412
	ORT TERM	\$51,665	\$56,827	\$28,076	\$1,512	\$21,180	\$6,058
	DIATE TERM						
1	Construct Taxiway C Realignment - Phase 1	\$6,080	\$7,524	\$6,772	\$376	\$0	\$376
2	Loading Bridge	538	666	0	0	666	0
3	Land Acquisition	1,948	2,476	2,228	124	0	124
4	Construct Air Cargo Taxiway - Phase 2	2,400	3,050	2,745	153	0	153
5	Loading Bridges	2,186	2,778	0	0	2,778	0
6	Replace Regional Boarding Ramps at Gate 1B and C	350	445	0	0	445	0
7	Relocate Taxiway A East of Runway 18-36	5,200	6,788	6,109	339	0	339
8	Construct Taxiway C Realignment - Phase 2	3,000	4,022	3,619	201	0	201
_	Relocate Service Access Road East of Cargo	600	804	724	40	0	40
9	Darking Carage Evennsian Phase 2	15 000	20 100	0	0	^	20 100
10	Parking Garage Expansion Phase 3	15,000	20,108	622 107	0 <b>\$1.222</b>	62 000	20,108
10 TOTAL INT	TERMEDIATE TERM	15,000 <b>\$37,302</b>	20,108 \$48,661	\$ <b>22,197</b>	\$ <b>1,233</b>	\$ <b>3,889</b>	20,108 <b>\$21,341</b>
10 TOTAL INT LONG TER	TERMEDIATE TERM PM	\$37,302	\$48,661	\$22,197	\$1,233	\$3,889	\$21,341
10 TOTAL INT LONG TER	TERMEDIATE TERM  Construct Air Cargo Apron Phase II (North)	<b>\$37,302</b> \$4,300	<b>\$48,661</b> \$5,920	<b>\$22,197</b> \$5,328	<b>\$1,233</b> \$296	<b>\$3,889</b> \$0	<b>\$21,341</b> \$296
10 TOTAL INT LONG TER 1 2	TERMEDIATE TERM  Construct Air Cargo Apron Phase II (North)  Construct Air Cargo Apron Phase I (South)	\$4,300 3,000	\$48,661 \$5,920 4,130	\$22,197 \$5,328 3,717	\$1,233 \$296 207	\$3,889 \$0 0	\$21,341 \$296 207
10 TOTAL INT LONG TER 1 2 3	Construct Air Cargo Apron Phase I (North) Construct Air Cargo Apron Phase I (South) ARFF Vehicle	\$4,300 3,000 1,500	\$48,661 \$5,920 4,130 2,065	\$22,197 \$5,328 3,717 1,859	\$1,233 \$296 207 103	\$3,889 \$0 0	\$21,341 \$296 207 103
10 TOTAL INT LONG TER 1 2 3 4	Construct Air Cargo Apron Phase II (North) Construct Air Cargo Apron Phase I (South) ARFF Vehicle Construct Taxiway B Runway 36 to 29	\$4,300 3,000 1,500 2,800	\$48,661 \$5,920 4,130 2,065 3,959	\$22,197 \$5,328 3,717 1,859 3,563	\$1,233 \$296 207 103 198	\$3,889 \$0 0 0	\$21,341 \$296 207 103 198
10 TOTAL INT LONG TER 1 2 3 4 5	Construct Air Cargo Apron Phase II (North) Construct Air Cargo Apron Phase I (South) ARFF Vehicle Construct Taxiway B Runway 36 to 29 Extend Cargo Apron East Interport Location	\$4,300 \$4,300 1,500 2,800 1,900	\$48,661 \$5,920 4,130 2,065 3,959 2,686	\$22,197 \$5,328 3,717 1,859 3,563 2,418	\$1,233 \$296 207 103 198 134	\$3,889 \$0 0 0 0	\$21,341 \$296 207 103 198 134
10 TOTAL INT LONG TER 1 2 3 4	Construct Air Cargo Apron Phase II (North) Construct Air Cargo Apron Phase I (South) ARFF Vehicle Construct Taxiway B Runway 36 to 29 Extend Cargo Apron East Interport Location Rotary Snowplow 5000 TPH	\$4,300 \$4,300 1,500 2,800 1,900 550	\$48,661 \$5,920 4,130 2,065 3,959 2,686 778	\$22,197 \$5,328 3,717 1,859 3,563 2,418 700	\$1,233 \$296 207 103 198	\$3,889 \$0 0 0	\$21,341 \$296 207 103 198
10 TOTAL INT LONG TER 1 2 3 4 5	Construct Air Cargo Apron Phase II (North) Construct Air Cargo Apron Phase I (South) ARFF Vehicle Construct Taxiway B Runway 36 to 29 Extend Cargo Apron East Interport Location Rotary Snowplow 5000 TPH Expand Maintenance Building	\$4,300 \$4,300 1,500 2,800 1,900	\$48,661 \$5,920 4,130 2,065 3,959 2,686 778 5,445	\$22,197 \$5,328 3,717 1,859 3,563 2,418 700 4,901	\$1,233 \$296 207 103 198 134 39	\$3,889 \$0 0 0 0 0	\$296 207 103 198 134 39
10 TOTAL INT LONG TER 1 2 3 4 5 6 7	Construct Air Cargo Apron Phase II (North) Construct Air Cargo Apron Phase I (South) ARFF Vehicle Construct Taxiway B Runway 36 to 29 Extend Cargo Apron East Interport Location Rotary Snowplow 5000 TPH	\$4,300 3,000 1,500 2,800 1,900 550 3,750	\$48,661 \$5,920 4,130 2,065 3,959 2,686 778	\$22,197 \$5,328 3,717 1,859 3,563 2,418 700	\$1,233 \$296 207 103 198 134 39 272	\$3,889 \$0 0 0 0 0 0 0	\$21,341 \$296 207 103 198 134 39 272
10 TOTAL INT LONG TER 1 2 3 4 5 6 7 8	Construct Air Cargo Apron Phase II (North) Construct Air Cargo Apron Phase I (South) ARFF Vehicle Construct Taxiway B Runway 36 to 29 Extend Cargo Apron East Interport Location Rotary Snowplow 5000 TPH Expand Maintenance Building Construct Aircraft Engine run-Up Pad	\$4,300 3,000 1,500 2,800 1,900 550 3,750 1,600	\$48,661 \$5,920 4,130 2,065 3,959 2,686 778 5,445 2,323	\$22,197 \$5,328 3,717 1,859 3,563 2,418 700 4,901 2,091	\$1,233 \$296 207 103 198 134 39 272 116	\$3,889 \$0 0 0 0 0 0 0	\$21,341 \$296 207 103 198 134 39 272 116
10 TOTAL INT LONG TER 1 2 3 4 5 6 7 8 9	Construct Air Cargo Apron Phase II (North) Construct Air Cargo Apron Phase I (South) ARFF Vehicle Construct Taxiway B Runway 36 to 29 Extend Cargo Apron East Interport Location Rotary Snowplow 5000 TPH Expand Maintenance Building Construct Aircraft Engine run-Up Pad SRE 18' FRT MTD Broom	\$4,300 3,000 1,500 2,800 1,900 550 3,750 1,600 950	\$48,661 \$5,920 4,130 2,065 3,959 2,686 778 5,445 2,323 1,379	\$5,328 3,717 1,859 3,563 2,418 700 4,901 2,091 1,241	\$1,233 \$296 207 103 198 134 39 272 116 69	\$3,889 \$0 0 0 0 0 0 0 0	\$21,341 \$296 207 103 198 134 39 272 116 69
10 TOTAL INT LONG TER  1 2 3 4 5 6 7 8 9 10	Construct Air Cargo Apron Phase II (North) Construct Air Cargo Apron Phase I (South) ARFF Vehicle Construct Taxiway B Runway 36 to 29 Extend Cargo Apron East Interport Location Rotary Snowplow 5000 TPH Expand Maintenance Building Construct Aircraft Engine run-Up Pad SRE 18' FRT MTD Broom Strengthen/Rehab Runway 11-29	\$4,300 3,000 1,500 2,800 1,900 550 3,750 1,600 950 8,200	\$48,661 \$5,920 4,130 2,065 3,959 2,686 778 5,445 2,323 1,379 12,228	\$5,328 3,717 1,859 3,563 2,418 700 4,901 2,091 1,241 11,006	\$1,233 \$296 207 103 198 134 39 272 116 69 611	\$3,889 \$0 0 0 0 0 0 0 0	\$21,341 \$296 207 103 198 134 39 272 116 69 611
10 TOTAL INT LONG TER 1 2 3 4 5 6 7 8 9 10 11	Construct Air Cargo Apron Phase II (North) Construct Air Cargo Apron Phase I (South) ARFF Vehicle Construct Taxiway B Runway 36 to 29 Extend Cargo Apron East Interport Location Rotary Snowplow 5000 TPH Expand Maintenance Building Construct Aircraft Engine run-Up Pad SRE 18' FRT MTD Broom Strengthen/Rehab Runway 11-29 Displacement Plows/Spreaders	\$4,300 3,000 1,500 2,800 1,900 550 3,750 1,600 950 8,200 650	\$48,661 \$5,920 4,130 2,065 3,959 2,686 778 5,445 2,323 1,379 12,228 969	\$5,328 3,717 1,859 3,563 2,418 700 4,901 2,091 1,241 11,006 872	\$1,233 \$296 207 103 198 134 39 272 116 69 611 48	\$3,889 \$0 0 0 0 0 0 0 0 0 0	\$21,341 \$296 207 103 198 134 39 272 116 69 611 48
10 TOTAL INT LONG TER  1 2 3 4 5 6 7 8 9 10 11 12 13 14	Construct Air Cargo Apron Phase II (North) Construct Air Cargo Apron Phase I (South) ARFF Vehicle Construct Taxiway B Runway 36 to 29 Extend Cargo Apron East Interport Location Rotary Snowplow 5000 TPH Expand Maintenance Building Construct Aircraft Engine run-Up Pad SRE 18' FRT MTD Broom Strengthen/Rehab Runway 11-29 Displacement Plows/Spreaders Strengthen/Rehab Taxiways A, D, E, & F	\$4,300 3,000 1,500 2,800 1,900 550 3,750 1,600 950 8,200 650 5,900	\$48,661 \$5,920 4,130 2,065 3,959 2,686 778 5,445 2,323 1,379 12,228 969 9,036	\$5,328 3,717 1,859 3,563 2,418 700 4,901 2,091 1,241 11,006 872 8,132	\$1,233 \$296 207 103 198 134 39 272 116 69 611 48 452	\$3,889 \$0 0 0 0 0 0 0 0 0 0 0	\$21,341 \$296 207 103 198 134 39 272 116 69 611 48
10  TOTAL INT  LONG TER  1 2 3 4 5 6 7 8 9 10 11 12 13 14 15	Construct Air Cargo Apron Phase II (North) Construct Air Cargo Apron Phase I (South) ARFF Vehicle Construct Taxiway B Runway 36 to 29 Extend Cargo Apron East Interport Location Rotary Snowplow 5000 TPH Expand Maintenance Building Construct Aircraft Engine run-Up Pad SRE 18' FRT MTD Broom Strengthen/Rehab Runway 11-29 Displacement Plows/Spreaders Strengthen/Rehab Taxiways A, D, E, & F 2000 Gallon Liquid Spreader ARFF Vehicle Construct South Apron Taxiway	\$4,300 3,000 1,500 2,800 1,900 550 3,750 1,600 950 8,200 650 5,900 250 125 2,830	\$48,661 \$5,920 4,130 2,065 3,959 2,686 778 5,445 2,323 1,379 12,228 969 9,036 383 191 4,451	\$5,328 3,717 1,859 3,563 2,418 700 4,901 2,091 1,241 11,006 872 8,132 345 172 4,006	\$1,233 \$296 207 103 198 134 39 272 116 69 611 48 452 19 10 223	\$3,889 \$0 0 0 0 0 0 0 0 0 0 0 0	\$21,341 \$296 207 103 198 134 39 272 116 69 611 48 452
10  TOTAL INT  LONG TER  1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16	Construct Air Cargo Apron Phase II (North) Construct Air Cargo Apron Phase I (South) ARFF Vehicle Construct Taxiway B Runway 36 to 29 Extend Cargo Apron East Interport Location Rotary Snowplow 5000 TPH Expand Maintenance Building Construct Aircraft Engine run-Up Pad SRE 18' FRT MTD Broom Strengthen/Rehab Runway 11-29 Displacement Plows/Spreaders Strengthen/Rehab Taxiways A, D, E, & F 2000 Gallon Liquid Spreader ARFF Vehicle Construct South Apron Taxiway Construct South General Aviation Apron - Phase 1	\$4,300 3,000 1,500 2,800 1,900 550 3,750 1,600 950 8,200 650 5,900 250 125	\$48,661 \$5,920 4,130 2,065 3,959 2,686 778 5,445 2,323 1,379 12,228 969 9,036 383 191 4,451 3,618	\$5,328 3,717 1,859 3,563 2,418 700 4,901 2,091 1,241 11,006 872 8,132 345 172	\$1,233 \$296 207 103 198 134 39 272 116 69 611 48 452 19 10	\$3,889 \$0 0 0 0 0 0 0 0 0 0 0 0	\$21,341 \$296 207 103 198 134 39 272 116 69 611 48 452 19
10  TOTAL INT  LONG TER  1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17	Construct Air Cargo Apron Phase II (North) Construct Air Cargo Apron Phase I (South) ARFF Vehicle Construct Taxiway B Runway 36 to 29 Extend Cargo Apron East Interport Location Rotary Snowplow 5000 TPH Expand Maintenance Building Construct Aircraft Engine run-Up Pad SRE 18' FRT MTD Broom Strengthen/Rehab Runway 11-29 Displacement Plows/Spreaders Strengthen/Rehab Taxiways A, D, E, & F 2000 Gallon Liquid Spreader ARFF Vehicle Construct South Apron Taxiway Construct South General Aviation Apron - Phase 1 Construct South General Aviation Apron - Phase 2	\$4,300 3,000 1,500 2,800 1,900 550 3,750 1,600 950 8,200 650 5,900 250 125 2,830 2,300 2,300	\$48,661 \$5,920 4,130 2,065 3,959 2,686 778 5,445 2,323 1,379 12,228 969 9,036 383 191 4,451 3,618 3,715	\$5,328 3,717 1,859 3,563 2,418 700 4,901 2,091 1,241 11,006 872 8,132 345 172 4,006	\$1,233 \$296 207 103 198 134 39 272 116 69 611 48 452 19 10 223	\$3,889 \$0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$21,341 \$296 207 103 198 134 39 272 116 69 611 48 452 19 10 223 181 186
10  TOTAL INT  LONG TER  1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18	Construct Air Cargo Apron Phase II (North) Construct Air Cargo Apron Phase I (South) ARFF Vehicle Construct Taxiway B Runway 36 to 29 Extend Cargo Apron East Interport Location Rotary Snowplow 5000 TPH Expand Maintenance Building Construct Aircraft Engine run-Up Pad SRE 18' FRT MTD Broom Strengthen/Rehab Runway 11-29 Displacement Plows/Spreaders Strengthen/Rehab Taxiways A, D, E, & F 2000 Gallon Liquid Spreader ARFF Vehicle Construct South Apron Taxiway Construct South General Aviation Apron - Phase 1 Construct South General Aviation Apron - Phase 2 Terminal Westerly Expansion	\$4,300 3,000 1,500 2,800 1,900 550 3,750 1,600 950 8,200 650 5,900 250 125 2,830 2,300 2,300 16,000	\$48,661 \$5,920 4,130 2,065 3,959 2,686 778 5,445 2,323 1,379 12,228 969 9,036 383 191 4,451 3,618 3,715 25,846	\$5,328 3,717 1,859 3,563 2,418 700 4,901 2,091 1,241 11,006 872 8,132 345 172 4,006 3,256 3,344 0	\$1,233 \$296 207 103 198 134 39 272 116 69 611 48 452 19 10 223 181 186 0	\$3,889 \$0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$21,341 \$296 207 103 198 134 39 272 116 69 611 48 452 19 10 223 181 186 1,292
10  TOTAL INT  LONG TER  1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19	Construct Air Cargo Apron Phase II (North) Construct Air Cargo Apron Phase I (South) ARFF Vehicle Construct Taxiway B Runway 36 to 29 Extend Cargo Apron East Interport Location Rotary Snowplow 5000 TPH Expand Maintenance Building Construct Aircraft Engine run-Up Pad SRE 18' FRT MTD Broom Strengthen/Rehab Runway 11-29 Displacement Plows/Spreaders Strengthen/Rehab Taxiways A, D, E, & F 2000 Gallon Liquid Spreader ARFF Vehicle Construct South Apron Taxiway Construct South General Aviation Apron - Phase 1 Construct South General Aviation Apron - Phase 2 Terminal Westerly Expansion Rehabilitate Runway 18-36, Taxiway B and J	\$4,300 3,000 1,500 2,800 1,900 550 3,750 1,600 950 8,200 650 5,900 250 125 2,830 2,300 2,300 16,000 3,600	\$48,661 \$5,920 4,130 2,065 3,959 2,686 778 5,445 2,323 1,379 12,228 969 9,036 383 191 4,451 3,618 3,715 25,846 5,972	\$5,328 3,717 1,859 3,563 2,418 700 4,901 2,091 1,241 11,006 872 8,132 345 172 4,006 3,256 3,344 0 5,375	\$1,233 \$296 207 103 198 134 39 272 116 69 611 48 452 19 10 223 181 186	\$3,889 \$0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$21,341 \$296 207 103 198 134 39 272 116 69 611 48 452 19 10 223 181 186
10  TOTAL INT  LONG TER  1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20	Construct Air Cargo Apron Phase II (North) Construct Air Cargo Apron Phase I (South) ARFF Vehicle Construct Taxiway B Runway 36 to 29 Extend Cargo Apron East Interport Location Rotary Snowplow 5000 TPH Expand Maintenance Building Construct Aircraft Engine run-Up Pad SRE 18' FRT MTD Broom Strengthen/Rehab Runway 11-29 Displacement Plows/Spreaders Strengthen/Rehab Taxiways A, D, E, & F 2000 Gallon Liquid Spreader ARFF Vehicle Construct South Apron Taxiway Construct South General Aviation Apron - Phase 1 Construct South General Aviation Apron - Phase 2 Terminal Westerly Expansion Rehabilitate Runway 18-36, Taxiway B and J Construct South General Aviation Apron - Phase 3	\$4,300 3,000 1,500 2,800 1,900 550 3,750 1,600 950 8,200 650 5,900 250 125 2,830 2,300 2,300 16,000 3,600 3,000	\$48,661 \$5,920 4,130 2,065 3,959 2,686 778 5,445 2,323 1,379 12,228 969 9,036 383 191 4,451 3,618 3,715 25,846 5,972 4,977	\$5,328 3,717 1,859 3,563 2,418 700 4,901 2,091 1,241 11,006 872 8,132 345 172 4,006 3,256 3,344 0 5,375 4,479	\$1,233 \$296 207 103 198 134 39 272 116 69 611 48 452 19 10 223 181 186 0 299 249	\$3,889 \$0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$21,341 \$296 207 103 198 134 39 272 116 69 611 48 452 19 10 223 181 186 1,292 299 249
10  TOTAL INT  LONG TER  1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21	Construct Air Cargo Apron Phase II (North) Construct Air Cargo Apron Phase I (South) ARFF Vehicle Construct Taxiway B Runway 36 to 29 Extend Cargo Apron East Interport Location Rotary Snowplow 5000 TPH Expand Maintenance Building Construct Aircraft Engine run-Up Pad SRE 18' FRT MTD Broom Strengthen/Rehab Runway 11-29 Displacement Plows/Spreaders Strengthen/Rehab Taxiways A, D, E, & F 2000 Gallon Liquid Spreader ARFF Vehicle Construct South Apron Taxiway Construct South General Aviation Apron - Phase 1 Construct South General Aviation Apron - Phase 2 Terminal Westerly Expansion Rehabilitate Runway 18-36, Taxiway B and J Construct South General Aviation Apron - Phase 3 Ramp Expansion East of Air Traffic Control Tower	\$4,300 3,000 1,500 2,800 1,900 550 3,750 1,600 950 8,200 650 5,900 250 125 2,830 2,300 2,300 16,000 3,600 3,000 7,200	\$48,661 \$5,920 4,130 2,065 3,959 2,686 778 5,445 2,323 1,379 12,228 969 9,036 383 191 4,451 3,618 3,715 25,846 5,972 4,977 12,267	\$5,328 3,717 1,859 3,563 2,418 700 4,901 2,091 1,241 11,006 872 8,132 345 172 4,006 3,256 3,344 0 5,375 4,479 11,040	\$1,233 \$296 207 103 198 134 39 272 116 69 611 48 452 19 10 223 181 186 0 299 249 613	\$3,889 \$0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$21,341 \$296 207 103 198 134 39 272 116 69 611 48 452 19 10 223 181 186 1,292 299 249 613
10  TOTAL INT  LONG TER  1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	Construct Air Cargo Apron Phase II (North) Construct Air Cargo Apron Phase I (South) ARFF Vehicle Construct Taxiway B Runway 36 to 29 Extend Cargo Apron East Interport Location Rotary Snowplow 5000 TPH Expand Maintenance Building Construct Aircraft Engine run-Up Pad SRE 18' FRT MTD Broom Strengthen/Rehab Runway 11-29 Displacement Plows/Spreaders Strengthen/Rehab Taxiways A, D, E, & F 2000 Gallon Liquid Spreader ARFF Vehicle Construct South Apron Taxiway Construct South General Aviation Apron - Phase 1 Construct South General Aviation Apron - Phase 2 Terminal Westerly Expansion Rehabilitate Runway 18-36, Taxiway B and J Construct South General Aviation Apron - Phase 3 Ramp Expansion East of Air Traffic Control Tower Snow Plows	\$4,300 3,000 1,500 2,800 1,900 550 3,750 1,600 950 8,200 650 5,900 250 125 2,830 2,300 2,300 16,000 3,600 3,000 7,200 650	\$48,661 \$5,920 4,130 2,065 3,959 2,686 778 5,445 2,323 1,379 12,228 969 9,036 383 191 4,451 3,618 3,715 25,846 5,972 4,977 12,267 1,107	\$5,328 3,717 1,859 3,563 2,418 700 4,901 2,091 1,241 11,006 872 8,132 345 172 4,006 3,256 3,344 0 5,375 4,479 11,040 997	\$1,233 \$296 207 103 198 134 39 272 116 69 611 48 452 19 10 223 181 186 0 299 249 613 55	\$3,889 \$0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$21,341 \$296 207 103 198 134 39 272 116 69 611 48 452 19 10 223 181 186 1,292 299 249 613 55
10  TOTAL INT  LONG TER  1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23	Construct Air Cargo Apron Phase II (North) Construct Air Cargo Apron Phase I (South) ARFF Vehicle Construct Taxiway B Runway 36 to 29 Extend Cargo Apron East Interport Location Rotary Snowplow 5000 TPH Expand Maintenance Building Construct Aircraft Engine run-Up Pad SRE 18' FRT MTD Broom Strengthen/Rehab Runway 11-29 Displacement Plows/Spreaders Strengthen/Rehab Taxiways A, D, E, & F 2000 Gallon Liquid Spreader ARFF Vehicle Construct South Apron Taxiway Construct South General Aviation Apron - Phase 1 Construct South General Aviation Apron - Phase 2 Terminal Westerly Expansion Rehabilitate Runway 18-36, Taxiway B and J Construct South General Aviation Apron - Phase 3 Ramp Expansion East of Air Traffic Control Tower Snow Plows Parking Garage Expansion Phase 4	\$4,300 3,000 1,500 2,800 1,900 550 3,750 1,600 950 8,200 650 5,900 250 125 2,830 2,300 2,300 16,000 3,600 3,000 7,200 650 20,000	\$48,661 \$5,920 4,130 2,065 3,959 2,686 778 5,445 2,323 1,379 12,228 969 9,036 383 191 4,451 3,618 3,715 25,846 5,972 4,977 12,267 1,107 34,075	\$5,328 3,717 1,859 3,563 2,418 700 4,901 2,091 1,241 11,006 872 8,132 345 172 4,006 3,256 3,344 0 5,375 4,479 11,040 997 0	\$1,233 \$296 207 103 198 134 39 272 116 69 611 48 452 19 10 223 181 186 0 299 249 613 55 0	\$3,889  \$0 0 0 0 0 0 0 0 0 0 0 0 0 0 24,553 0 0 0 0 0 0	\$21,341 \$296 207 103 198 134 39 272 116 69 611 48 452 19 10 223 181 186 1,292 299 249 613 55 34,075
10  TOTAL INT  LONG TER  1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24	Construct Air Cargo Apron Phase II (North) Construct Air Cargo Apron Phase I (South) ARFF Vehicle Construct Taxiway B Runway 36 to 29 Extend Cargo Apron East Interport Location Rotary Snowplow 5000 TPH Expand Maintenance Building Construct Aircraft Engine run-Up Pad SRE 18' FRT MTD Broom Strengthen/Rehab Runway 11-29 Displacement Plows/Spreaders Strengthen/Rehab Taxiways A, D, E, & F 2000 Gallon Liquid Spreader ARFF Vehicle Construct South Apron Taxiway Construct South General Aviation Apron - Phase 1 Construct South General Aviation Apron - Phase 2 Terminal Westerly Expansion Rehabilitate Runway 18-36, Taxiway B and J Construct South General Aviation Apron - Phase 3 Ramp Expansion East of Air Traffic Control Tower Snow Plows Parking Garage Expansion Phase 4 Terminal Easterly Expansion/Renovation	\$4,300 3,000 1,500 2,800 1,900 550 3,750 1,600 950 8,200 650 5,900 250 125 2,830 2,300 2,300 16,000 3,600 3,000 7,200 650 20,000 11,000	\$48,661 \$5,920 4,130 2,065 3,959 2,686 778 5,445 2,323 1,379 12,228 969 9,036 383 191 4,451 3,618 3,715 25,846 5,972 4,977 12,267 1,107 34,075 18,741	\$5,328 3,717 1,859 3,563 2,418 700 4,901 2,091 1,241 11,006 872 8,132 345 172 4,006 3,256 3,344 0 5,375 4,479 11,040 997 0	\$1,233 \$296 207 103 198 134 39 272 116 69 611 48 452 19 10 223 181 186 0 299 249 613 55 0 0	\$3,889  \$0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 24,553 0 0 0 17,804	\$21,341 \$296 207 103 198 134 39 272 116 69 611 48 452 19 10 223 181 186 1,292 299 249 613 55 34,075 937
10 TOTAL INT LONG TER  1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 TOTAL LO	Construct Air Cargo Apron Phase II (North) Construct Air Cargo Apron Phase I (South) ARFF Vehicle Construct Taxiway B Runway 36 to 29 Extend Cargo Apron East Interport Location Rotary Snowplow 5000 TPH Expand Maintenance Building Construct Aircraft Engine run-Up Pad SRE 18' FRT MTD Broom Strengthen/Rehab Runway 11-29 Displacement Plows/Spreaders Strengthen/Rehab Taxiways A, D, E, & F 2000 Gallon Liquid Spreader ARFF Vehicle Construct South Apron Taxiway Construct South General Aviation Apron - Phase 1 Construct South General Aviation Apron - Phase 2 Terminal Westerly Expansion Rehabilitate Runway 18-36, Taxiway B and J Construct South General Aviation Apron - Phase 3 Ramp Expansion East of Air Traffic Control Tower Snow Plows Parking Garage Expansion Phase 4 Terminal Easterly Expansion/Renovation	\$4,300 3,000 1,500 2,800 1,900 550 3,750 1,600 950 8,200 650 5,900 250 125 2,830 2,300 16,000 3,600 3,000 7,200 650 20,000 11,000 \$104,355	\$48,661 \$5,920 4,130 2,065 3,959 2,686 778 5,445 2,323 1,379 12,228 969 9,036 383 191 4,451 3,618 3,715 25,846 5,972 4,977 12,267 1,107 34,075 18,741 \$166,264	\$5,328 3,717 1,859 3,563 2,418 700 4,901 2,091 1,241 11,006 872 8,132 345 172 4,006 3,256 3,344 0 5,375 4,479 11,040 997 0 0 \$78,842	\$1,233 \$296 207 103 198 134 39 272 116 69 611 48 452 19 10 223 181 186 0 299 249 613 55 0 0 \$4,380	\$3,889  \$0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 24,553 0 0 0 17,804 \$42,358	\$21,341 \$296 207 103 198 134 39 272 116 69 611 48 452 19 10 223 181 186 1,292 299 249 613 55 34,075 937 \$40,685
10 TOTAL INT LONG TER  1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 TOTAL LO TOTAL CIF	Construct Air Cargo Apron Phase II (North) Construct Air Cargo Apron Phase I (South) ARFF Vehicle Construct Taxiway B Runway 36 to 29 Extend Cargo Apron East Interport Location Rotary Snowplow 5000 TPH Expand Maintenance Building Construct Aircraft Engine run-Up Pad SRE 18' FRT MTD Broom Strengthen/Rehab Runway 11-29 Displacement Plows/Spreaders Strengthen/Rehab Taxiways A, D, E, & F 2000 Gallon Liquid Spreader ARFF Vehicle Construct South Apron Taxiway Construct South General Aviation Apron - Phase 1 Construct South General Aviation Apron - Phase 2 Terminal Westerly Expansion Rehabilitate Runway 18-36, Taxiway B and J Construct South General Aviation Apron - Phase 3 Ramp Expansion East of Air Traffic Control Tower Snow Plows Parking Garage Expansion Phase 4 Terminal Easterly Expansion/Renovation NG TERM	\$37,302 \$4,300 3,000 1,500 2,800 1,900 550 3,750 1,600 950 8,200 650 5,900 250 125 2,830 2,300 2,300 16,000 3,600 3,000 7,200 650 20,000 11,000 \$104,355 \$193,322	\$48,661 \$5,920 4,130 2,065 3,959 2,686 778 5,445 2,323 1,379 12,228 969 9,036 383 191 4,451 3,618 3,715 25,846 5,972 4,977 12,267 1,107 34,075 18,741 \$166,264 \$271,752	\$22,197 \$5,328 3,717 1,859 3,563 2,418 700 4,901 2,091 1,241 11,006 872 8,132 345 172 4,006 3,256 3,344 0 5,375 4,479 11,040 997 0 0 \$78,842 \$129,116	\$1,233 \$296 207 103 198 134 39 272 116 69 611 48 452 19 10 223 181 186 0 299 249 613 55 0 0 \$4,380 \$7,126	\$3,889  \$0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 24,553 0 0 0 17,804 \$42,358 \$67,426	\$21,341 \$296 207 103 198 134 39 272 116 69 611 48 452 19 10 223 181 186 1,292 299 249 613 55 34,075 937 \$40,685 \$68,084
10 TOTAL INT LONG TER  1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 TOTAL LO TOTAL CIF PLUS: CAF	Construct Air Cargo Apron Phase II (North) Construct Air Cargo Apron Phase I (South) ARFF Vehicle Construct Taxiway B Runway 36 to 29 Extend Cargo Apron East Interport Location Rotary Snowplow 5000 TPH Expand Maintenance Building Construct Aircraft Engine run-Up Pad SRE 18' FRT MTD Broom Strengthen/Rehab Runway 11-29 Displacement Plows/Spreaders Strengthen/Rehab Taxiways A, D, E, & F 2000 Gallon Liquid Spreader ARFF Vehicle Construct South Apron Taxiway Construct South General Aviation Apron - Phase 1 Construct South General Aviation Apron - Phase 2 Terminal Westerly Expansion Rehabilitate Runway 18-36, Taxiway B and J Construct South General Aviation Apron - Phase 3 Ramp Expansion East of Air Traffic Control Tower Snow Plows Parking Garage Expansion Phase 4 Terminal Easterly Expansion/Renovation	\$4,300 3,000 1,500 2,800 1,900 550 3,750 1,600 950 8,200 650 5,900 250 125 2,830 2,300 16,000 3,600 3,000 7,200 650 20,000 11,000 \$104,355	\$48,661 \$5,920 4,130 2,065 3,959 2,686 778 5,445 2,323 1,379 12,228 969 9,036 383 191 4,451 3,618 3,715 25,846 5,972 4,977 12,267 1,107 34,075 18,741 \$166,264	\$5,328 3,717 1,859 3,563 2,418 700 4,901 2,091 1,241 11,006 872 8,132 345 172 4,006 3,256 3,344 0 5,375 4,479 11,040 997 0 0 \$78,842	\$1,233 \$296 207 103 198 134 39 272 116 69 611 48 452 19 10 223 181 186 0 299 249 613 55 0 0 \$4,380	\$3,889  \$0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 24,553 0 0 0 17,804 \$42,358	\$21,341 \$296 207 103 198 134 39 272 116 69 611 48 452 19 10 223 181 186 1,292 299 249 613 55 34,075 937 \$40,685







